

## F6875 0.3G Crop Safety

**Ornamental Protocol Number: 08-015**

**Objective:** Determine phytotoxicity of F6875 0.3G on herbaceous perennials.

### Experimental Design:

**Plot Size:** Must be adequate to reflect actual use conditions.

**Replicates:** Minimum of 3 replications (preferably 4) with 3 plants per replicate

**Application Instructions:** Depending upon research site and plant materials, various experiments can be established. Two applications are to be made approximately 6 weeks apart, with the first application within 7 days after potting, preferable between 24 and 48 hours. However, plant materials must have broken dormancy prior to first application. For liquid applications, use a minimum of 20 gal per acre. Applications should be made over the top of the plants using application equipment consistent with conventional commercial equipment. For all materials, target dry foliage. If dew is present at the time of application, note it. Irrigate with ½ inch water between 1 and 4 hours after application. Note: Liquid materials need at least 1 hour drying time prior to irrigation.

**Plant Materials:** *Contact your Regional Coordinator for an up-to-date list.* Plants grown in field containers are preferred to in-ground.

**Evaluations:** Record plant height & width at initial and final evaluations only. At 1, 2, and 4 weeks after each application, record phytotoxicity on a scale of 0 to 10 (0 = No phytotoxicity; 10 = Complete kill). If appropriate, also include ratings for chlorosis, defoliation, stunting or other growth effects on a scale of 0 to 10 (0 = No effect; 10 = Complete plant affected). If any phytotoxicity is observed in treated plants, take pictures comparing treated and untreated plant material.

**Recordkeeping:** Keep detailed records of weather conditions including temperature and precipitation, soil-type or soil-less media, application equipment, irrigation, liner size, plant height & width, and plant growth stage at application and data collection dates.

### Treatments:

Product	Rate	Contact Information to obtain materials
F6875 0.3G (sulfentrazone + prodiamine)	0.375 lb ai per acre	FMC, Bobby Walls, 919-735-3862, <a href="mailto:bobby_walls@fmc.com">bobby_walls@fmc.com</a>
	0.75 lb ai per acre	
	1.5 lb ai per acre	
Untreated	--	

### Reports:

Reports submitted electronically on the standard IR-4 Ornamental Horticulture Research Report Form are preferred.

A report submitted electronically is preferred but not required. If the report is provided electronically, the basic report can be sent in MS Word or WordPerfect, the recordkeeping information as pdf or other electronic documents, and the raw data in MS Excel or other suitable program such as ARM.

**Please direct questions to:** Cristi Palmer, IR-4 HQ, Rutgers University, 681 US Hwy 1 S, North Brunswick, NJ 08902-3390, Phone 732-932-9575 x4629, [palmer@aesop.rutgers.edu](mailto:palmer@aesop.rutgers.edu) **OR** Ely Vea, 308 Aston Forest Lane, Crownsville, MD 21032, Phone & FAX#: 410-923-4880, E-mail: [evvea@comcast.net](mailto:evvea@comcast.net).

Draft Date: 1/23/08

Revised By: CLP